	Application No.	Applicant(s)
Al-41	10/757,869	MITZ, HOWARD S.
Notice of Allowability	Examiner	Art Unit
,,	Dimple N. Bodawala	1722
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>1/15/2004</u> .		
2. The allowed claim(s) is/are <u>1 and 3-9</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some* c) None of the:		
Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ⊠ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) ⊠ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
Attachment(s)		
1. ☑ Notice of References Cited (PTO-892)	<ol><li>5. Notice of Informal P</li></ol>	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Dat	te .
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛭 Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
	9.  Other	

Art Unit: 1722

## EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Daniel Bourque on March 28<sup>th</sup>, 2007.

The application has been amended as follows:

Cancel claims 2 and 10.

Please change claims 3 and 5 on line 1 as follows:

-- ice cream scoop of claim 1--

The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

Reference Nos. 29a and 29b are missing for figures 1 and 2 in the specification.

On paragraph 13, reference characters "heater" and "an inlet air tube" have both been used to designate Reference No. 19.

On paragraph 13, reference character "heater" has been used to designate both Reference No. 18 and Reference No. 19.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Art Unit: 1722

The following is an examiner's statement of reasons for allowance:

Claims 1, 3-9 are allowed.

The prior art of record fails to teach or suggest a forced hot air ice cream scoop as recited in claims 1, and 3-9. The closet prior arts either Miller (U S Patent No. 2,260,689) or Osborn (U S Patent No. 3,138,153) do not disclose the forced hot air ice cream scoop by providing the air passage way extending from the inlet of the handle portion to the ladle and back to the outlet of the handle portion, wherein the passageway is in fluid connection with the inlet and outlet; and also heater with the heating element for generating heat as recited in claim 1. Nor does there appear to be any reason in these references, or combined with any of the other prior art of record, to modify the devices to result in such a combination of features.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dimple N.

Application/Control Number: 10/757,869 Page 4

Art Unit: 1722

Bodawala whose telephone number is (571) 272-6455. The examiner can normally be reached on Monday - Friday at 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Yogendra N. Gupta can be reached on (571) 272-1316. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DNB